



LOGIC GAS FIRES

Classic Fireplaces | Fire Baskets



A Warm Welcome

Relax... It's a Gazco fire!

Designed to warm the very heart of your home, a Gazco Inset Gas Fire brings you the promise of cosy comfort throughout those long winter nights; even if you don't have a chimney!

Whether you want to achieve an up-to-the-minute, contemporary look or have your heart set on a more traditionally-designed fire, you will find a choice of highly-realistic flame effects and elegant frame options to suit your decorative style and budget.

Each model has been specially developed with ease of installation in mind, giving you excellent value for money through reduced fitting costs – and in most cases, you do not have to have a wall or floor vent installed either. For more information, or to view our complete range of Gas & Electric fires and stoves, simply visit www.gazco.com.

The Gazco pedigree

When you choose a Gazco Inset Fire, quality and technology are assured. Gazco's UK research and development laboratories are not only amongst the most advanced in the world but the company is also ISO9001 accredited.



This means there is a rigorous quality control system to ensure that all our appliances comply with British safety standards as well as stringent European regulations. All fires in this brochure are CE marked. This means they have been independently tested to exacting European standards for safety as well as both heating efficiency and emissions.

With over 25 years of proven experience of manufacturing quality Gas fires at Gazco, you can be confident that when you select a Gazco fire, quality and reliability are assured.



Front Cover Image: Logic HE Conventional flue fire with Log-effect fuel bed, shown with **Arts front** in Polished Chrome-effect and Polished Steel-effect **Box Profil2 frame**, with Slide Control. Also shown: White Brompton mantel from Stovax.

Logic HE Conventional flue fire with Coal-effect fuel bed, shown with Polished Chrome-effect **Wave front** and Polished Steel-effect **Box Profil2 frame**. Also shown: Grey Brompton mantel from Stovax.



Peace of Mind...

Expert Retailer Network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your fire.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home.

These retailers will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

Furthermore, Gazco fires purchased from within our Expert Retailer Network will have the additional benefit of a greatly extended warranty period, subject to terms and conditions. Full details can be found at www.gazco.com.

Warranty

Your Gazco Expert Retailer will provide you with a Two Year Warranty for you new gas fire. This can be extended to a Five Year Warranty provided it is registered with Gazco. Please note, these warranties exclude certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard one year non-extendable warranty. Full warranty terms and conditions are available to view at www.gazco.com.



Logic Hotbox fire with Coal-effect fuel bed, shown with **Chartwell front** in Matt Black and **Profil** frame in Matt Black. Also shown: Grey Pembroke mantel with Belgravia Matt Black Cast Front and Polished insert panel from Stovax.

Contents

The right fire for your home	6
Logic™ Fires	8
Logic™ Control Options	10
Logic™ Hotbox	12
Logic™ Convector	16
Logic™ HE	20
Logic™ Front & Frame choices	28
<hr/>	
Classic Fireplaces	32
Fire Baskets	38
Made To Measure Fires	42
Technical Information	44
Important Information	50

Build Your Own Inset Gas Fire...

Gazco's innovative 'Mix & Match' tool serves as your visual guide to our extensive range of inset gas fires as well as our 16" frame and front designs. Once you have decided upon the most suitable gas fire for your home, simply select your front and your frame choices from the easy-to-use menu and see your combinations come to life! Visit www.gazco.com/mixmatch.



Logic HE Conventional flue fire with Log-effect fuel bed, shown with **Designio2 Steel complete front** in graphite with Slide control.

The right fire for your home...



The table opposite has been designed to assist you in choosing the right fire for your home. Gazco's different inset fire options allow you to mix and match a wide selection of traditional and contemporary frames, fronts and fires so you can create the perfect welcoming centrepiece for your home.

Logic™ Fires			
	Pages 12 - 15	Pages 16 - 19	Pages 20 - 27
	Logic™ Hotbox	Logic™ Convector	Logic™ HE
Choice of Operation:			
Manual versions	✓	✓	✓
Slide control	✓	✓	✓
Remote control	✓	✓	✓
Choice of Fuel Bed:			
Coal	✓	✓	✓
White Stone	X	X	✓
Coloured Glass Beads	X	X	✓
Logs	X	X	✓ ^Δ
Key Features:			
Convected heat	X	✓	✓
Radiant heat	✓	✓	✓
Wide selection of frames	✓	✓	✓
Natural Gas or LPG	✓	✓	✓
Can be wall mounted	X	X	✓
Ambient open fire	✓	✓	X
Glass fronted high efficiency	X	X	✓
ODS safety feature*	✓	✓	✓
Additional air vent required	X	X	X
Conventional Flue	✓	✓	✓
Balanced Flue	X	X	✓
Maximum Efficiency	60%	68.5%	89%

(See page 45 to identify your chimney type - more detailed chimney information can also be found on the individual product pages)

Classic Fireplaces
Pages 32 - 37



Fire Baskets
Pages 38 - 39



Made-To-Measure Fires
Pages 42 - 43



* ODS (Oxygen Depletion Sensor) - This safety feature will shut off the gas supply to the burner in the event of a reduction to oxygen levels in the room (conventional flue only).

^Δ Log-effect is available for Slide control conventional flue only.

Image left: Logic HE Conventional flue fire with Log-effect fuel bed, shown with **Tempo complete front** in Polished Stainless with Slide Control. Also shown: Rich Oak Brompton mantel (3565K) from Stovax.

Logic™ Fires

There are three different fires in the Logic family to choose from: the Logic Hotbox, Logic Convector or the Logic HE. As well as benefitting from lower installation costs by choosing a Logic fire, additional savings can be made as these are all Reduced Draught fires, meaning that in most cases a wall or floor vent is not required. The Logic range is offered with a wide selection of frames and finishes; the full selection can be seen on pages 28-31.

Logic™ Hotbox

UP TO
60%
EFFICIENT



Suitable for all chimney types, the Logic Hotbox is an open-fronted fire that provides a warm focal point without the additional heat emitted by the Logic Convector or Logic HE. This fire offers the choice of a manual or remote control option with the realistic cool effect fuel bed.

The Hotbox draws cool room air into the bottom of the appliance (2) and then emits radiant heat into the room (3) via the glow generated on the ceramic fuel bed. This provides convenient and comforting warmth whilst retaining all the ambience of a real open fire.



Logic™ Convector

HIGH
EFFICIENCY
UP TO 68.5%



The Logic Convector is a highly efficient open fire suitable for all chimney types. It incorporates a convection system that provides additional heat and efficiency to that of the Hotbox. Available with coal fuel bed (1) and the option of either manual or remote control versions.

The convector box draws cool room air into the bottom of the convection chamber (2) the cool air is warmed as it passes over the hot surfaces of the chamber (3) and the hot air is then emitted back into the room via the top convection slot (4).



Logic™ HE

HIGH
EFFICIENCY
UP TO 89%



The Logic HE features a glass front and boasts the highest efficiency of all the Logic Fires at up to 89%. The HE offers a choice of either logs[†], coal or white stone or upgradeable coloured glass bead^Δ fuel effects (1). With both conventional and balanced flue models, the HE is even suitable for homes without a chimney!*

The Logic HE box draws cool room air into the bottom of the convection chamber (2) the cool air is warmed as it passes over the hot surfaces of the chamber and the hot air is then emitted back into the room via the top convection slot (3). Maximum heat is radiated into the room via the virtually invisible glass front (4). The Logic HE (balanced flue only) has been specifically designed with reduced depth to allow for easy installation into the internal skin of a traditional cavity wall.

^ΔUpgradeable Glass Bead Fuel Effects

For those who want to make a real style statement, there is the option to upgrade the White Stone fuel bed on your fire to a choice of three stunning glass bead packs including cool clear, bold black and a radiant red**!



See pages 27 for Glass Bead Fuel Effects in situ.

* Balanced flue models only.

**Please note that the red glass beads will darken when burning and then return to their original colour when cool.

[†] Log effect available for slide control, conventional flue fires only.



Balanced flue model shown.



Black Glass
Beads

Red Glass
Beads

Clear Glass
Beads

Image left : Logic HE Conventional flue fire with Coal-effect fuel bed, shown with **Wave front** in Matt Black and **Arts2 frame** in Brushed Stainless Steel with Slide control. Also shown: Malmö mantel from Stovax.

Logic™ Control Options

The complete Logic family* of fires are available with your choice of three different control systems; manual control, slide control or for the ultimate luxury heating experience, a remote control to give convenient control from the comfort of your sofa.



Manual Control

An easy to use system that allows for ignition, extinguish & full flame control all from a simple single control handle. To maintain the aesthetic appeal of your fire, the controls are discretely located behind the frame front at the bottom of the fire & can be accessed with ease.



Slide Control

Gazco's new innovative Slide system has a subtly designed, ergonomic lever that is situated to the top right hand side of the fire's frame for easy access. The new Slide offers complete and convenient control over the fire, including ignition and extinguish along with flame height and corresponding heat levels, allowing you to achieve the warmth and ambiance you desire with minimal bending. Slide control Logic fires are available with a specific selection of frame styling options, please see pages 24 - 27 for details.



Remote Control

For the ultimate in convenience, opt for the remote control version. Once the pilot light has been ignited manually you can use Gazco's standard remote control to vary the flame height and heat output from the comfort of your sofa, achieving the perfect ambiance, returning only to the fire when you are ready to turn it off.

**With the exception of the Logic HE log-effect which is only available with Slide Control.*



Logic HE Conventional flue fire with Log-effect fuel bed, shown with **Arts front** in Polished Chrome-effect and **Profil frame** in Polished Stainless Steel with Slide control. Also shown: Helsinki Mantel in Walnut finish (3563VW) from Stovax.

Logic™ Hotbox

UP TO
60%
EFFICIENT



Conventional flue

- Radiant heating
- Heat reflective lining
- Fits into standard 410 x 560 x 250mm (w x h x d) fireplace opening
- No additional room ventilation normally required

For the complete selection of frames and fronts available with Logic Hotbox fires please see pages 28 - 31.



Logic Hotbox fire with Coal-effect fuel bed, shown with **Arts front** in Matt Black and **Box Profil frame** in Matt Black. Also shown: White Malmö mantel from Stovax.

Efficiency & Heat Output				Chimney or Flue Options				Gas Type		Fuel Bed	Control Options		
E%†	kW	ENERGY EFFICIENCY CLASS		BRICK CHIMNEY	PRE-FABRICATED	PRE-CAST	BALANCED FLUE	NATURAL GAS	LPG	COALS	MANUAL	SLIDE	REMOTE
60%	4.00kW	F		✓	✓	✓*	✗	✓	✓	✓	✓	✓	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 46 - 47.
*Min 16,500mm²



Logic Hotbox fire with Coal-effect fuel bed, shown with **Chartwell front** in Highlight Polished finish and **Arts frame** in Brushed Stainless with Slide control. Also shown: Small Kensington mantel from Stovax.



Logic™ Hotbox

Conventional flue

UP TO
60%
EFFICIENT



- Radiant heating
- Heat reflective lining
- Fits into standard 410 x 560 x 250mm (w x h x d) fireplace opening
- No additional room ventilation normally required

For the complete selection of frames and fronts available with Logic Hotbox fires please see pages 28 - 31.



Logic Hotbox fire with Coal-effect fuel bed and **Dimension complete front**.
Also shown: Brompton mantel from Stovax.

	Efficiency & Heat Output			Chimney or Flue Options				Gas Type		Fuel Bed	Control Options		
	E%†	kW	ENERGY EFFICIENCY CLASS	BRICK CHIMNEY	PRE-FABRICATED	PRE-CAST	BALANCED FLUE	NATURAL GAS	LPG GAS	COALS	MANUAL	SLIDE	REMOTE
Logic Hotbox Conventional Flue	60%	4.00kW	F	✓	✓	✓*	✗	✓	✓	✓	✓	✓	✓

† Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 46 - 47.
*Min 16,500mm²



Logic Convector fire with Coal-effect fuel bed, shown with **Winchester complete front** in Matt Black with Slide Control. Also shown: Victorian Corbel mantel in Antique White Marble and Fully Polished London Front with insert panel from Stovax.

Logic™ Convector

Conventional flue

**HIGH
EFFICIENCY
UP TO 68.5%**

- Radiant heating - plus convection system for added efficiency
- Heat reflective lining
- Fits into standard 410 x 560 x 250mm (w x h x d) fireplace opening
- No additional room ventilation normally required

For the complete selection of frames and fronts available with Logic Convector fires please see pages 28 - 31.



Logic Convector fire with Coal-effect fuel bed, shown with **Holyrood front** in Polished Brass-effect and **Box Profil frame** in Polished Brass-effect. Also shown: Grafton Limestone mantel from Stovax.

	Efficiency & Heat Output			Chimney or Flue Options				Gas Type		Fuel Bed	Control Options		
	E% [†]	kW	ENERGY EFFICIENCY CLASS	BRICK CHIMNEY	PRE-FABRICATED	PRE-CAST	BALANCED FLUE	NATURAL GAS	LPG	COALS	MANUAL	SLIDE	REMOTE
Logic Convector Conventional Flue	68.5%	4.60kW	F	✓	✓	✓*	✗	✓	✓	✓	✓	✓	✓

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 46 - 47.
*Min 16,500mm²



Logic™ Convector

Conventional flue

HIGH
EFFICIENCY
UP TO 68.5%

- Radiant heating - plus convection system for added efficiency
- Heat reflective lining
- Fits into standard 410 x 560 x 250mm (w x h x d) fireplace opening
- No additional room ventilation normally required

For the complete selection of frames and fronts available with Logic Convector fires please see pages 28 - 31.



Logic Convector fire with Coal-effect fuel bed, shown with **Holyrood front** in Highlight Polished finish and **Box Profil frame** in Brushed Steel-effect and Slide Control. Also Shown: Brompton Mantel and Chelsea Cast Iron front with inset panel available from Stovax.

Efficiency & Heat Output				Chimney or Flue Options				Gas Type		Fuel Bed	Control Options		
E% [†]	kW	ENERGY EFFICIENCY CLASS		BRICK CHIMNEY	PRE-FABRICATED	PRE-CAST	BALANCED FLUE	NATURAL GAS	LPG GAS	COALS	MANUAL	SLIDE	REMOTE
68.5%	4.60kW	F		✓	✓	✓*	✗	✓	✓	✓	✓	✓	✓

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 46 - 47.
*Min 16,500mm²

Logic™ HE

HIGH
EFFICIENCY
UP TO 89%



Conventional flue

- High efficiency fire with virtually invisible glass front
- Heat reflective lining
- Fits into standard 410 x 560 x 250mm (w x h x d) fireplace opening
- No additional room ventilation normally required
- Balanced flue model also available (see pages 24-27)

For the complete selection of frames
and fronts available with Logic HE
fires please see pages 28 - 31.



Logic HE Conventional flue fire with Log-effect fuel bed, shown with Designio2 Steel complete front in Graphite with Slide Control.

	Efficiency & Heat Output				Chimney or Flue Options				Gas Type		Fuel Bed				Control Options		
	E% [†]	kW	ENERGY EFFICIENCY CLASS		BRICK CHIMNEY	PRE-FABRICATED	PRE-CAST	BALANCED FLUE	NATURAL GAS	LPG GAS	COALS	WHITE STONES	GLASS BEADS [‡]	LOGS	MANUAL	SLIDE	REMOTE
Logic HE (Coals) Conventional Flue	89%	4.50kW	C		✓	✓	✓*	✗	✓	✓	✓	✗	✗	✗	✓	✓	✓
Logic HE (W.Stones) Conventional Flue	89%	3.80kW	C		✓	✓	✓*	✗	✓	✓	✗	✓	✓ [‡]	✗	✓	✓	✓
Logic HE (Logs) Conventional Flue	84%	4.40kW	D		✓	✓	✗	✗	✓	✓	✗	✗	✗	✓	✗	✓	✗

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 48 - 49.
[‡]Min 16,500mm²

[‡]Glass Bead packs are available to upgrade your White Stone fuel effect fire. See pages 27 for Glass Bead Fuel Effects in situ.



Logic HE Conventional flue fire with
White Stone fuel bed, shown with
Progress complete front.



Logic HE Conventional flue fire with Log-effect fuel bed, shown with **Arts front** in Polished Chrome-effect and **Box Profil2 frame** in Polished Stainless Steel-effect with Slide Control. Also shown: Malmo mantel from Stovax.

Logic™ HE

Conventional flue

HIGH
EFFICIENCY
UP TO 89%

- High efficiency fire with virtually invisible glass front
- Heat reflective lining
- Fits into standard 410 x 560 x 250mm (w x h x d) fireplace opening
- No additional room ventilation normally required
- Balanced flue model also available (see pages 24-27)

For the complete selection of frames and fronts available with Logic HE fires please see pages 28 - 31.



Logic HE Conventional flue fire with Coal-effect fuel bed, shown with **Stockton Inset complete front**.

	Efficiency & Heat Output				Chimney or Flue Options				Gas Type		Fuel Bed				Control Options		
	E% [†]	kW	ENERGY EFFICIENCY CLASS		BRICK CHIMNEY	PRE-FABRICATED	PRE-CAST	BALANCED FLUE	NATURAL GAS	LPG GAS	COALS	WHITE STONES	GLASS BEADS [◇]	LOGS	MANUAL	SLIDE	REMOTE
Logic HE (Coals) Conventional Flue		89%	4.50kW	C	✓	✓	✓*	✗	✓	✓	✓	✗	✗	✗	✓	✓	✓
Logic HE (W.Stones) Conventional Flue		89%	3.80kW	C	✓	✓	✓*	✗	✓	✓	✗	✓	✓ [◇]	✗	✓	✓	✓
Logic HE (Logs) Conventional Flue		84%	4.40kW	D	✓	✓	✗	✗	✓	✓	✗	✗	✗	✓	✗	✓	✗

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 48 - 49.
^{*}Min 16.500mm²

[◇]Glass Bead packs are available to upgrade your White Stone fuel effect fire. See pages 27 for Glass Bead Fuel Effects in situ.

Logic™ HE

easyfit
Slimline Firebox

HIGH
EFFICIENCY
UP TO 86% 
















Balanced flue

- High efficiency fire with virtually invisible glass front
- Heat reflective lining
- Fits into standard 410 x 560 x 250mm (w x h x d) fireplace opening
- No additional room ventilation normally required
- Slimmer depth, allowing installation into inner wall of home without the need of a false chimney breast.
- Conventional flue model also available (see pages 20-23)

For the complete selection of frames and fronts available with Logic HE fires please see pages 28 - 31.



Logic HE Balanced flue fire with White Stone fuel bed, shown with **Tempo complete front** in Polished Stainless with Slide Control.

	Efficiency & Heat Output		Chimney or Flue Options				Gas Type		Fuel Bed				Control Options		
	E% [†]	kW													
Logic HE (Coals) Balanced Flue	 86%	3.40kW	D												
Logic HE (W.Stones) Balanced Flue	 86%	2.92kW	D												

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 48 - 49.

24 ♦ Glass Bead packs are available to upgrade your White Stone fuel effect fire. See pages 27 for Glass Bead Fuel Effects in situ.



Logic HE Balanced flue with Coal-effect fuel bed, shown with Polished **Winchester complete front**. Also shown: Pembroke mantel, Belgravia Cast Iron Inset and 16" Polished Insert panel from Stovax.



Logic HE Balanced flue fire with White Stone fuel bed, shown with **Steel Complete Front** in Graphite. For more information on the exciting colour options for the Steel front, please see page 48.

Logic™ HE

Balanced flue

easyfit
Slimline Firebox

**HIGH
EFFICIENCY**
UP TO 86%



- High efficiency fire with virtually invisible glass front
- Heat reflective lining
- Fits into standard 410 x 560 x 250mm (w x h x d) fireplace opening
- No additional room ventilation normally required
- Slimmer depth, allowing installation into inner wall of home without the need of a false chimney breast.
- Conventional flue model also available (see pages 20-23)

For the complete selection of frames and fronts available with Logic HE fires please see pages 28 - 31.



Logic HE Balanced flue fire with optional Glass Bead fuel effect, shown with **Designio complete front** in Iridium. Shown with optional Clear Glass Beads.

	Efficiency & Heat Output			Chimney or Flue Options				Gas Type		Fuel Bed				Control Options		
	E% [†]	kW	ENERGY EFFICIENCY CLASS	BRICK CHIMNEY	PRE-FABRICATED	PRE-CAST	BALANCED FLUE	NATURAL GAS	LPG GAS	COALS	WHITE STONES	GLASS BEADS [◇]	LOGS	MANUAL	SLIDE	REMOTE
Logic HE (Coals) Balanced Flue		86%	3.40kW	D	X	X	X	✓	✓	✓	X	X	X	✓	✓	✓
Logic HE (W.Stones) Balanced Flue		86%	2.92kW	D	X	X	X	✓	✓	X	✓	✓ [◇]	X	✓	✓	✓

[†] Efficiency figures given are based upon the maximum heat output achieved in the options available for this model, for further technical information, please see pages 48 - 49.

[◇] Glass Bead packs are available to upgrade your White Stone fuel effect fire.

Logic™ Mix & Match Front & Frame Choices

Box Profil / Box Profil2† Frames

(Front cover & pages 2, 12, 17, 19, 22)



Arts / Arts2† Frames

(Pages 7, 8, 13 & 51)



Profil Frames

(Pages 5, 11 & 47)




Complete Frame Choices are shown on pages 30 - 31

Manual & Remote Control Fires	Front Choices					Frame Choices		
	Holyrood	Spanish	Arts	Wave	Chartwell	Profil	Arts	Box Profil
Logic Hotbox or Convector	✓	✓	✓	✓	✓	✓	✓	✓
Logic HE (w/stones)	✗	✗	✓	✓	✓	✗	✓	✓
Logic HE (coals)	✓	✓	✓	✓	✓	✗	✓	✓
Slide Control Fires								
Logic Hotbox or Convector	✓	✓	✓	✓	✓	✗	✓	✓
Logic HE (w/stones)	✗	✗	✓	✓	✓	✗	✓	✓
Logic HE (coals and logs)	✓	✓	✓	✓	✓	✗	✓	✓

Arts Fronts

(Front cover & pages 7, 11, 12, 22 & 47)



Wave Fronts

(Pages 2 & 8)




Chartwell Fronts

(Pages 5, 13 & 51)



Spanish Fronts

(Pages 46)



Holyrood Fronts

(Pages 17 & 19)



* Profil frame in Brass is available with both standard and wide (67mm) options.

† Box Profil2 and Arts2 frames are for the Logic HE fires and feature a beautifully crafted louvre as shown top right.

* Logic HE versions have no finials.

† Finials are only available on Logic Hotbox and Logic Convector fires when using Decorative or Profil frames

Logic™ Complete Front Choices

Designio

(Pages 14 & 27)



Graphite & Iridium

Dimension/Dimension2*

(Page 15)



Matt Black*

Progress

(Page 21)



Iridium

Designio2 Steel

(Page 4 & 20)



Graphite and Iridium

Designio2 Glass

(Page 10)



Black Glass

Winchester†

(Page 16 & 25)



Polished+ & Matt Black†

Stockton Inset

(Page 23)



Matt Black

Richmond

(Page 18)



Black Cast Iron

Tempo


(Pages 6 & 24)




Polished Stainless, Brushed Stainless & Matt Black

Steel


(Page 12)



Graphite



Iridium



Ivory

Complete Choices									
<u>Manual & Remote Control Fires</u>	Dimension	Designio	Steel	Progress	Stockton Inset	Richmond	Winchester	Tempo	Designio2
Logic Hotbox or Convector	✓	✓	✗	✓	✗	✓*	✓	✗	✗
Logic HE (w/stones)	✓	✓	✓	✓	✗	✗	✓	✓	✓
Logic HE (coals)	✓	✓	✗	✓	✓	✓	✓	✓	✓
<u>Slide Control Fires</u>									
Logic Hotbox or Convector	✗	✗	✗	✗	✗	✗	✓	✗	✗
Logic HE (w/stones)	✗	✗	✗	✗	✗	✗	✓	✓	✓
Logic HE (coals and logs)	✗	✗	✗	✗	✗	✗	✓	✓	✓

† Logic HE versions have a cross bar and grille (as shown) *Richmond Complete Fronts are not compatible with Logic Hotbox fires.

Logic HE Highly Realistic Log-effect

Selected Logic HE fires have the option of a log-effect fuel bed, which offers the high efficiency of the HE range with an eye-catching, wood fire aesthetic. Tall flames flow between the highly detailed hand-painted logs, which are complemented by a glowing ember bed. The conventionally flued Logic HE Log-effect fires feature a manual slide control for operation and can be styled with a number of stylish flames.



* Dimension2 is for the Logic HE and features a beautifully crafted louvre as shown on the Tempo (above).

Classic Fireplaces

Cast Iron Convectors - Conventional flue

To enjoy the added efficiency and economy of convected heat, there are several models in the Classic Fireplaces range that can be fitted with Gazco's Logic Convector fires as shown earlier in this brochure.



Above: Victorian Tiled Convector. Also shown: Georgian mantel in White from Stovax.

Above: Combination Convector in Highlight Polished finish with Urn design polished cast panels.

Offering the ultimate marriage of traditional style and modern technology, Gazco offer realistic coal and log gas fires for the Victorian Cast Iron fireplaces manufactured by our sister company Stovax. This allows you to enjoy quintessential period charm yet also benefit from the added efficiency and convenience of a Gazco gas fire, complete with remote control if you wish. Please ask your retailer for details or visit www.gazco.com for more information.

Product Code	Description	Gas Type	Fuel Effect
101-295	Logic Convector Manual	Nat. Gas	Coal
101-418	Logic Convector Manual	LPG	Coal
101-349	Logic Convector with Remote	Nat. Gas	Coal
101-528	Logic Convector with Remote	LPG	Coal

Available for:
Victorian Convector
Art Nouveau Convector
Combination Convector

For further information and options please see the Logic technical information on pages 46 - 49.

*Logic models do not require additional room ventilation.



Classic Fireplaces

Cast Iron Inserts & Fronts - Conventional flue



Above: Classic Arched Insert in highlight polished finish.
Also shown: Victorian Corbel stone mantel in Antique White Marble from Stovax.

Gazco has developed a range of gas fires specifically designed for each of Stovax's Inset Fireplaces and Fronts. Depending on model, the highly realistic coal or log fires offer a superb combination of flame and glow with controllable heat output and the option of a convenient remote control.

For further information please see the Classic Fireplaces technical information on page 49.



Above: Knightsbridge Insert in polished finish. Also shown: Georgian, fully polished mantel.

To view the Stovax Classic Fireplaces brochure and see the full range of fireplaces on offer, simply scan this QR code, visit www.gazco.com or speak to your local Gazco retailer.



Classic Fireplaces

Cast Iron Inserts & Fronts - Conventional flue



Above: Kensington Insert, fully Polished. Also shown: Sandringham Stone mantel in Natural Limestone from Stovax.

Above: Art Nouveau Tiled Front with Alphonse Mucha Nocturnal Slumber 5-tile sets. Also shown: Carlton Rich Oak mantel from Stovax.

Natural Gas		
Product Code	Classic Fireplace	Fuel Effect
8000MCUC	Victorian Tiled Insert*	Coal
8210MCUC	Victorian Tiled Front	Coal
8004MCUC	Adelaide Insert*	Coal
8062MCUC	Combination Insert*	Coal
8455	Remote Control Kit	-

LPG		
Product Code	Classic Fireplace	Fuel Effect
P8000MCUC	Victorian Tiled Insert*	Coal
P8210MCUC	Victorian Tiled Front	Coal
P8004MCUC	Adelaide Insert*	Coal
P8062MCUC	Combination Insert*	Coal
8455	Remote Control Kit	-

Natural Gas			LPG		
Product Code	Classic Fireplace	Fuel Effect	Product Code	Classic Fireplace	Fuel Effect
8064MCUC	Arched Insert*	Coals	P8064MCUC	Arched Insert*	Coals
8102MCUC	Art Nouveau Insert*	Coals	P8102MCUC	Art Nouveau Insert*	Coals
8202MCUC	Art Nouveau Tiled Front	Coals	P8202MCUC	Art Nouveau Tiled Front	Coals
8023MCUC	Knightsbridge/Kensington Insert	Coals	P8023MCUC	Knightsbridge/Kensington Insert	Coals
8023LUC	Knightsbridge/Kensington Insert	Logs	P8023LUC	Knightsbridge/Kensington Insert	Logs
8455	Remote Control Kit	-	8455	Remote Control Kit	-

CF

*Please affix RD to the end of product codes when ordering Reduced Draught models (with the exception of the Poppy & Wheat sheaf Tiled front which has a unique product code as shown above). Reduced draught models do not require additional room ventilation.

CF



Fire Baskets

We offer a superb range of fire baskets, each one handcrafted using traditional materials such as brass, steel, chrome and cast iron. Many are also offered in a choice of sizes and in a variety of casting shapes or finishes.


According to the model, there is a choice of solid fuel and gas fire baskets so before you make your selection, speak to your local Gazco retailer about which option is right for you and your chimney.



1 Gas logs



2 Gas driftwood



3 Gas coals

Fuels

Wood, coal and smokeless fuels CF

All Gazco traditional fire baskets in this brochure are suitable for burning solid fuels such as logs and coal as well as approved smokeless fuels.

Gas CF

All Gazco fire baskets can be specified for use with either Natural Gas or LPG. Natural Gas is provided through mains pipelines, whilst LPG is usually supplied to homes in rural areas from a tank in the garden or from gas bottles.

Gas option

Gas fires CF

Fires with gas logs (1) driftwood (2) or coals (3) are available for both natural gas and LPG. Please see page 49 for a full list of options.

Operation of your gas fire basket can be upgraded to Gazco's Standard Command remote control system. Once manually ignited, the handset allows you to alter flame height and heat output, all from the comfort of your armchair!

*If you have an existing grate or basket and would like the extra convenience of a gas fire, then Gazco can provide you with a **custom built, made-to-measure** fire in a choice of log, driftwood or coal effects. Please see pages 42 - 43 for details.*

For further information please see the Fire Baskets technical information on page 49.



Above: Small Amhurst in Black Cast Iron with log effect gas fire.
Also shown: Belgravia Front in Matt Black and Polished Insert from Stovax.

Ascot

One size. Straight front in a choice of brass* or polished iron/steel. Choose from all solid fuel or gas fire options.



* Brass legs with brass-effect finials


Rochester

One size. Straight front in choice of brass or polished iron/steel. Choose from all solid fuel or gas fire options.



Cromwell

Available in two sizes. Straight front in black cast iron only. Choose from all solid fuel or gas fire options.



Medium Milan with ashpan cover.

Amhurst

Available in two sizes. Straight front in a choice of black cast iron or polished cast iron. Choose from all solid fuel or gas fire options.



Art Deco

Available in two sizes. Straight front in a choice of black cast iron or cast iron with Polished Iron/Steel. Choose from all solid fuel or gas fire options.



Milan

Available in two sizes (15" or 18" grate size). Straight front in polished cast iron. Choose from all solid fuel or gas fire options.



Spanish

Available in two sizes. Straight front in black or highlight polished cast iron. Choose from all solid fuel or gas fire options.



Spanish fire basket shown with optional cover.

Made To Measure



Gazco Made-To-Measure coal effect gas fire in an original grate & fireplace

Radiant gas fires custom-built for your fireplace

Gazco offers a comprehensive made-to-measure service for living flame gas fires. A wide range of sizes are available, there is virtually no limit on shape and all are supplied with Gazco's class-leading fuel effects. This makes them ideal for everything from a small Victorian cast iron fireplace in a bedroom to a large centrepiece in a pub or restaurant.

Features of our superb custom-built radiant Gas Fires include:

- Simple, multi-purpose manual control knob - for fingertip control of ignition, pilot light and gas supply
- Upgradeable to Command remote control system
- Adjustable flame setting - variable between high and low to suit your mood
- Piezo ignition - automatic sparking without batteries or mains electricity
- Flame failure device - automatically shuts off the gas supply if the pilot light goes out
- Oxygen sensitive safety pilot - automatically shuts off the gas supply if the oxygen level in your room falls below a safe level
- Reduced Draught versions - no additional ventilation required
- Conventional Flue fires **CF**
- Natural Gas or LPG - versions available for both types of gas
- Heat outputs - around 2.5kW depending on model



This log-effect fire is in a Devon restaurant. Gazco made-to-measure fires are suitable for domestic and commercial use. Please ask your retailer for further information about sizes, shapes and installation regulations.



- 1). Log fuel effect
- 2). Driftwood fuel effect
- 3). Coal fuel effect



Gazco made-to-measure log-effect fire at Langs Hotel, Glasgow

The minimum and maximum sizes for made-to-measure gas fires are as follows:

Dimensions - with Manual Control						
	Coals		Logs		Driftwood	
	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum
Width (mm)	165	610	230	840	230	840
Depth (mm)	130	319	165	375	165	375

Dimensions - with Manual Control upgradeable to Command Remote						
	Coals		Logs		Driftwood	
	Minimum*	Maximum	Minimum*	Maximum	Minimum*	Maximum
Width (mm)	230	556	230	556	230	556
Depth (mm)	160	319	165	375	165	375

*Trays with these dimensions will be supplied without legs.

Note: The sizes above are given as a guide only and are subject to the actual shape required. There are strict regulations regarding the installation of all gas fires including custom-built models. In particular, some openings will require some form of canopy to be fitted in order to comply with BS5871 (Part 3). Your Gazco retailer will be able to advise you about sizes, shapes, regulations etc. and to answer any other questions you may have.

Technical Information

The information on the following pages is to assist you in your choice of a suitable Gazco inset fire. This is not intended to be all the information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com.

Your chimney type

The type of chimney or flue you have usually dictates your choice of fire. To help you establish which fires are suitable for your home, please use the information and pictures below to identify your chimney. Don't worry if you don't have a chimney though, you can still find the perfect fire for your home!

Conventional Flue CF

Conventional flue systems are easily recognisable as either a conventional brick or stone chimney, pre-fabricated or pre-cast chimney system. Should your home have none of these at present, it is usually possible to have a pre-fabricated system installed in your home if required.




Brick or Stone Chimney
(Class 1)

The chimney stack rises well above the roofline and is topped by a traditional chimney pot or gas terminal. This type of chimney relies on the natural circulation of heated air to expel the products of combustion up your chimney.



Pre-Fabricated Flues
(Class 1 & 2)

You will see a metal flue cowl on your roof. Some are all metal whilst others may terminate through a short rectangular pot (but without a chimney stack). These flues create the same circulation of heated air as a brick or stone chimney.



Pre-Cast flues
(Class 2)

Many modern homes have been built with such flues. You can readily identify them by either a metal flue cowl or a raised ridge terminal on your roof. Again, the natural circulation of heated air expels the products of combustion. Incidentally, these flues tend to be very shallow in depth so a slimmer fire is often required. Deep appliances, however, may be able to be installed with the use of either a spacer kit or deeper rebate on the fireplace. Please consult your Gazco retailer for further information.

Balanced Flue BF

Balanced flues work in conjunction with Gazco's Glass Fronted gas fires. The appliance is completely sealed from the room into which it is installed (so there are no draughts and heating efficiency is increased) and a twin-wall pipe vents directly to an outside wall.



Balanced Flue
(No chimney required)

Air for combustion is drawn in through the outer pipe whilst the inner pipe removes the combustion gases to the exterior of the property. The twin-walled pipe will exit horizontally through an external wall. No electric supply is required therefore there is no sound with this flue system.

No Air Vent required (UK)

Throughout this brochure, all fires shown with this symbol have the advantage of not normally requiring an air vent* where the air permeability is greater than $5.0\text{m}^3/\text{hr}/\text{m}^2$. Please discuss this in full with your local retailer.



*Requirements in the Republic of Ireland are different.

Logic™ Hotbox and Convector Fires

LOGIC™ HOTBOX FIRE INFORMATION

Product Code	Controls	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Energy Efficiency Class	Efficiency	Opening Size (mm)		
									w	h	d
Logic Hotbox - Manual Control											
⊗ 101-021	Manual	Class 1 & 2	Nat. Gas	Coals	6.70	4.00	F	60%	410	560	250
⊗ 101-512	Manual	Class 1 & 2	LPG	Coals	6.70	4.00	F	60%	410	560	250
Logic Hotbox - Slide Control											
⊗ 101-224	Slide	Class 1 & 2	Nat. Gas	Coals	6.60	3.96	F	60%	410	560	250
⊗ 101-519	Slide	Class 1 & 2	LPG	Coals	6.70	4.00	F	60%	410	560	250
Logic Hotbox - Remote Control											
⊗ 101-083	Remote	Class 1 & 2	Nat. Gas	Coals	6.70	4.00	F	60%	410	560	250
⊗ 101-741	Remote	Class 1 & 2	LPG	Coals	6.70	4.00	F	60%	410	560	250

LOGIC™ CONVECTOR FIRE INFORMATION

Product Code	Controls	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Energy Efficiency Class	Efficiency	Opening Size (mm)		
									w	h	d
Logic Convector - Manual Control											
⊗ 101-295	Manual	Class 1 & 2	Nat. Gas	Coals	6.70	4.60	F	68.5%	410	560	250
⊗ 101-418	Manual	Class 1 & 2	LPG	Coals	6.70	4.60	F	68.5%	410	560	250
Logic Convector - Slide Control											
⊗ 101-053	Slide	Class 1 & 2	Nat. Gas	Coals	6.60	4.52	F	68.5%	410	560	250
⊗ 101-796	Slide	Class 1 & 2	LPG	Coals	6.70	4.60	F	68.5%	410	560	250
Logic Convector - Remote Control											
⊗ 101-349	Remote	Class 1 & 2	Nat. Gas	Coals	6.70	4.60	F	68.5%	410	560	250
⊗ 101-528	Remote	Class 1 & 2	LPG	Coals	6.70	4.60	F	68.5%	410	560	250

COMPLETE FRONT & FRAME INFORMATION FOR LOGIC™ HOTBOX AND LOGIC™ CONVECTOR FIRES

Product Code	Description	Frame Finish	Frame Size (mm)		
			w	h	d
Complete Front Choice for Manual and Remote Control Models					
8251GP	Designio	Graphite	595	615	68
8251IR	Designio	Iridium	595	615	68
8681MB	Dimension	Matt Black	540	635	68
8253IR	Progress	Iridium	520	598	60
8698MB	Winchester	Matt Black	508	619	55
8698P	Winchester	Polished	508	619	55
8678*	Richmond front*	Black Cast Iron	540	635	50

Product Code	Description	Frame Finish	Frame Size (mm)	
			w	h
Fire Frame Choice for Manual and Remote Control Fires				
901-219	Box Profil frame	Matt Black	503	604
901-178	Box Profil frame	Polished Brass-effect	503	604
901-269	Box Profil frame	Polished Stainless Steel-effect	503	604
901-344	Box Profil frame	Brushed Stainless Steel-effect	503	604
8284MB	Arts frame	Matt Black	503	605
8284PBR	Arts frame	Polished Brass	503	605
8284P	Arts frame	Polished Stainless Steel	503	605
8284BS	Arts frame	Brushed Stainless Steel	503	605
8345	Profil (Standard) frame	Matt Black	490	600
8340	Profil (Standard) frame	Polished Brass	490	600
8342	Profil (Standard) frame	Polished Stainless Steel	490	600
8229	Profil (Standard) frame	Brushed Stainless Steel	490	600
8280	Profil (Wide) frame	Polished Brass	527	615

Product Code	Description	Frame Finish	Frame Size (mm)		
			w	h	d
Complete Front Choice for Slide Control Models					
901-335	Winchester	Matt Black	508	619	55
901-347	Winchester	Polished	508	619	55

Product Code	Description	Frame Finish	Frame Size (mm)	
			w	h
Fire Frame Choice for Slide Control Fires				
901-223	Box Profil frame	Matt Black	503	605
901-239	Box Profil frame	Polished Brass effect	503	605
901-244	Box Profil frame	Polished Steel effect	503	605
901-251	Box Profil frame	Brushed Steel effect	503	605
901-021	Arts frame	Matt Black	503	604
901-058	Arts frame	Polished Brass	503	604
901-087	Arts frame	Polished Stainless Steel	503	604
901-111	Arts frame	Brushed Stainless Steel	503	604

*Richmond front is not compatible with Logic Hotbox fires.



FRET INFORMATION FOR LOGIC™ HOTBOX AND LOGIC™ CONVECTOR FIRES

Product Code	Description	Fret Finish	Frame Size (mm)		Product Code	Description	Fret Finish	Frame Size (mm)	
			w	h				w	h
Fire Fret Choice for Manual, Slide & Remote Fires (if using a Box Profil or Arts frame)					Fire Fret Choice for Manual & Remote Fires (if using a Decorative or Profil frame)				
901-425	Arts fire front†	Matt Black	390	230	901-425	Arts fire front†	Matt Black	390	230
901-530	Arts fire front†	Polished Brass-effect	390	230	901-530	Arts fire front†	Polished Brass-effect	390	230
901-476	Arts fire front†	Polished Chrome-effect	390	230	901-476	Arts fire front†	Polished Chrome-effect	390	230
901-296	Arts fire front†	Highlight Polished	390	230	901-296	Arts fire front†	Highlight Polished	390	230
901-338	Holyrood fire front	Matt Black	385	265	901-012	Holyrood fire front	Matt Black with Brass finials	385	265
901-193	Holyrood fire front	Polished Brass with black columns	385	265	901-042	Holyrood fire front	Polished Brass-effect - black columns & brass-effect finials	385	265
901-175	Holyrood fire front	Highlight Polished	385	210					
901-074	Holyrood fire front	Polished Chrome-effect	385	210	901-102	Holyrood fire front	Highlight Polished	385	210
901-161	Spanish fire front	Matt Black	385	210	901-147	Holyrood fire front	Polished Chrome-effect	385	210
901-212	Spanish fire front	Polished Brass-effect	385	210	901-008	Spanish fire front	Matt Black	385	210
901-188	Spanish fire front	Highlight Polished	385	210	901-085	Spanish fire front	Polished Brass-effect	385	210
901-281	Spanish fire front	Polished Chrome-effect	385	210	901-037	Spanish fire front	Highlight Polished	385	210
901-024	Wave fire front	Matt Black	390	201	901-129	Spanish fire front	Polished Chrome-effect	385	210
901-061	Wave fire front	Polished Brass-effect	390	201	901-024	Wave fire front	Matt Black	390	201
901-083	Wave fire front	Polished Chrome-effect	390	201	901-061	Wave fire front	Polished Brass-effect	390	201
901-092	Wave fire front	Highlight Polished	390	201	901-083	Wave fire front	Polished Chrome-effect	390	201
901-159	Chartwell fire front	Matt Black	390	195	901-092	Wave fire front	Highlight Polished	390	201
901-164	Chartwell fire front	Polished Brass-effect	390	195	901-159	Chartwell fire front	Matt Black	390	195
901-170	Chartwell fire front	Polished Chrome-effect	390	195	901-164	Chartwell fire front	Polished Brass-effect	390	195
901-185	Chartwell fire front	Highlight Polished	390	195	901-170	Chartwell fire front	Polished Chrome-effect	390	195
					901-185	Chartwell fire front	Highlight Polished	390	195

OPTIONS AND ACCESSORIES


Product Code	Description
8315	Spacer kit (75mm) for Logic Hotbox and Logic Convector

† NB: If the Arts front is ordered with a Decorative or Profil frame, a fixing kit (8289) will be supplied free of charge.

ADDITIONAL INFORMATION FOR LOGIC™ HOTBOX & CONVECTOR FIRES

If you are fitting a Decorative or Profil frame with an Arts Front, an additional fitting kit will be provided to ease installation. You can install a Logic Convector Fire with a Stovax Cast Iron Victorian, Art Nouveau or Combination Fireplace. Conventional Logic Hotbox and Logic Convector fires require 5" minimum flue sizes. Please consult your local Gazco and Stovax dealer for further information.

Installation of Logic Hotbox or Logic Convector into Pre Cast Flues (minimum 16,500mm²)



If your chimney has a shallow 'starter block' then use spacer kit 8315 and a 3" (75mm) deep rebate surround to achieve the C1 dimension. Pre-cast flues with a deep 'starter block' may be installed in exactly the same way as a conventional masonry opening providing there is a depth of 8½" (215mm) at C1.

Diagrammatic representation only. Not accurate for installation purposes.



Logic HE Conventional flue fire with Coal-effect fuel bed with **Arts Front** in Matt Black and **Profil frame** in Polished Brass. Also shown: Belgravia Matt Black Cast Front, Insert Panel and Georgian wooden mantel from Stovax.

Logic™ HE Convector Fires

LOGIC™ HE FIRE INFORMATION

Product Code	Flue Type	Gas Type	Fuel Effect	Heat Input (kW)	Heat Output (kW)	Energy Efficiency Class	Efficiency	Control	Opening Size (mm)		
									w	h	d
Logic HE Convector - Manual Control											
⊗ 101-151	Class 1 & 2	Nat. Gas	Coals	5.10	4.54	C	89%	Manual	410	560	250
⊗ 101-497	Class 1 & 2	LPG	Coals	4.80	4.27	C	89%	Manual	410	560	250
⊗ 101-324	Class 1 & 2	Nat. Gas	White Stones	4.30	3.82	C	89%	Manual	410	560	250
⊗ 101-651	Class 1 & 2	LPG	White Stones	4.30	3.82	C	89%	Manual	410	560	250
⊗ 101-135	Balanced flue	Nat. Gas	Coals	4.00	3.45	C	86%	Manual	420	560	165
⊗ 101-458	Balanced flue	LPG	Coals	4.00	3.45	C	86%	Manual	420	560	165
⊗ 101-208	Balanced flue	Nat. Gas	White Stones	3.40	2.92	C	86%	Manual	420	560	165
⊗ 101-687	Balanced flue	LPG	White Stones	3.40	2.92	C	86%	Manual	420	560	165
Logic HE Convector - Slide Control											
⊗ 101-037	Class 1 & 2	Nat. Gas	Coals	5.10	4.54	C	89%	Slide	410	560	250
⊗ 101-444	Class 1 & 2	LPG	Coals	4.90	4.36	C	89%	Slide	410	560	250
⊗ 101-110	Class 1 & 2	Nat. Gas	White Stones	4.10	3.65	C	89%	Slide	410	560	250
⊗ 101-597	Class 1 & 2	LPG	White Stones	4.30	3.82	C	89%	Slide	410	560	250
⊗ 101-245	Class 1 & 2	Nat. Gas	Logs	5.20	4.40	D	84%	Slide	410	560	350
⊗ 101-482	Class 1 & 2	LPG	Logs	5.10	4.30	D	84%	Slide	410	560	350
⊗ 101-237	Balanced flue	Nat. Gas	Coals	4.10	3.52	C	86%	Slide	420	560	165
⊗ 101-639	Balanced flue	LPG	Coals	4.10	3.52	C	86%	Slide	420	560	165
⊗ 101-386	Balanced flue	Nat. Gas	White Stones	3.40	2.92	C	86%	Slide	420	560	165
⊗ 101-753	Balanced flue	LPG	White Stones	3.40	2.92	C	86%	Slide	420	560	165
Logic HE Convector - Remote Control											
⊗ 101-088	Class 1 & 2	Nat. Gas	Coals	5.10	4.54	C	89%	Remote	410	560	250
⊗ 101-614	Class 1 & 2	LPG	Coals	4.80	4.27	C	89%	Remote	410	560	250
⊗ 101-131	Class 1 & 2	Nat. Gas	White Stones	4.10	3.65	C	89%	Remote	410	560	250
⊗ 101-649	Class 1 & 2	LPG	White Stones	4.30	3.82	C	89%	Remote	410	560	250
⊗ 101-174	Balanced flue	Nat. Gas	Coals	4.20	3.60	C	86%	Remote	420	560	165
⊗ 101-738	Balanced flue	LPG	Coals	4.10	3.52	C	86%	Remote	420	560	165
⊗ 101-182	Balanced flue	Nat. Gas	White Stones	3.40	2.92	C	86%	Remote	420	560	165
⊗ 101-777	Balanced flue	LPG	White Stones	3.40	2.92	C	86%	Remote	420	560	165

COMPLETE FRONT INFORMATION FOR LOGIC™ HE CONVECTOR FIRES

Product Code	Description	Frame Finish	Frame Size (mm)		
			w	h	d
Complete Front Choice for Manual and Remote Control Models					
912-396	Designio	Graphite	595	615	68
912-018	Designio	Iridium	595	615	68
912-322	Dimension2	Matt Black	540	635	68
912-239	Progress	Iridium	520	598	60
8697MB	Winchester	Matt Black	508	619	55
8697HP	Winchester	Polished	508	619	55
8695GP	Steel *	Graphite	850	670	32
8695IR	Steel *	Iridium	850	670	32
8695GPV	Steel *	Ivory	850	670	32
912-601	Evolution	Stainless Steel	489	597	45
912-197	Tempo	Matt Black	503	604	51
912-221	Tempo	Polished Stainless	503	604	51
912-316	Tempo	Brushed Stainless	503	604	51
901-493	Designio2 Steel	Graphite	519	606	40
901-511	Designio2 Steel	Iridium	519	606	40
901-526	Designio2 Glass	Black Glass	519	606	40
8696	Stockton Inset front ^Δ	Black Cast Iron	529	601	128
8679	Richmond front ^Δ	Black Cast Iron	540	665	50

Complete Front Choice for Slide Control Models

901-369	Winchester	Matt Black	508	619	55
901-372	Winchester	Polished	508	619	55
901-385	Tempo	Matt Black	503	604	51
901-403	Tempo	Polished Stainless	503	604	51
901-414	Tempo	Brushed Stainless	503	604	51
901-539	Designio2 Steel	Graphite	519	606	40
901-580	Designio2 Steel	Iridium	519	606	40
901-643	Designio2 Glass	Black Glass	519	606	40

FRET INFORMATION FOR LOGIC™ HE CONVECTOR FIRES


Product Code	Description	Fret Finish	Frame Size (mm)	
			w	h
Fret Choice for Manual, Slide and Remote Control Models				
901-425	Arts front	Matt Black	390	230
901-530	Arts front	Polished Brass-effect	390	230
901-476	Arts front	Polished Chrome-effect	390	230
901-296	Arts front	Highlight Polished	390	230
912-020	Holyrood front	Matt Black	385	210
912-226	Holyrood front	Polished Brass-effect with black columns	385	210
912-257	Holyrood front	Highlight Polished	385	210
912-392	Holyrood front	Polished Chrome-effect	385	210
912-083	Spanish front	Matt Black	385	210
912-127	Spanish front	Highlight Polished	385	210
912-160	Spanish front	Polished Brass-effect	385	210
912-216	Spanish front	Polished Chrome-effect	385	210
901-024	Wave front	Matt Black	390	201
901-061	Wave front	Polished Brass-effect	390	201
901-083	Wave front	Polished Chrome-effect	390	201
901-092	Wave front	Highlight Polished	390	201
901-159	Chartwell front	Matt Black	390	195
901-164	Chartwell front	Polished Brass-effect	390	195
901-170	Chartwell front	Polished Chrome-effect	390	195
901-185	Chartwell front	Highlight Polished	390	195

GLASS BEAD OPTIONS FOR LOGIC™ HE CONVECTOR FIRES WHITE STONE MODELS

Product Code	Description
923-774	Clear Glass fuel Effect Upgrade for Logic HE (with white stones)
923-788	Red Glass fuel Effect Upgrade for Logic HE (with white stones)
923-792	Black Glass fuel Effect Upgrade for Logic HE (with white stones)

FRAME INFORMATION FOR LOGIC™ HE CONVECTOR FIRES

Product Code	Description	Frame Finish	Frame Size (mm)	
			w	h
Frame Choice for Manual and Remote Control Models				
912-232	Box Profil2 frame	Matt Black	503	604
912-140	Box Profil2 frame	Polished Brass-effect	503	604
912-027	Box Profil2 frame	Polished Steel-effect	503	604
912-358	Box Profil2 frame	Brushed Steel-effect	503	604
912-862	Arts2 frame	Matt Black	503	605
912-508	Arts2 frame	Polished Brass	503	605
912-914	Arts2 frame	Polished Stainless Steel	503	605
912-268	Arts2 frame	Brushed Stainless Steel	503	605
Frame Choice for Slide Control Models				
901-272	Box Profil2 frame	Matt Black	503	604
901-286	Box Profil2 frame	Polished Brass-effect	503	604
901-299	Box Profil2 frame	Polished Steel-effect	503	604
901-310	Box Profil2 frame	Brushed Steel-effect	503	604
901-167	Arts2 frame	Matt Black	503	605
901-194	Arts2 frame	Polished Brass	503	605
901-206	Arts2 frame	Polished Stainless Steel	503	605
901-214	Arts2 frame	Brushed Stainless Steel	503	605



Fires for Stovax Classic Fireplaces

Suitable for Class 1 Flue Type

FIRE INFORMATION

Product Code	Fireplace	Gas Type	Fuel Effect	Heat Input	Heat Output	Product Code	Fireplace	Gas Type	Fuel Effect	Heat Input	Heat Output
8000MCUC	Victorian Tiled Insert	Nat. Gas	Coals	10kW	2kW	⊗ 8064MCUCRD	Arched Insert (RD)*	Nat Gas	Coals	7kW	1.4kW
P8000MCUC	Victorian Tiled Insert	LPG	Coals	10kW	2kW	⊗ P8064MCUCRD	Arched Insert (RD)*	LPG	Coals	7kW	1.4kW
⊗ 8000MCUCRD	Victorian Tiled Insert (RD)*	Nat. Gas	Coals	7kW	1.4kW	8102MCUC	Art Nouveau Insert	Nat. Gas	Coals	10kW	2kW
⊗ P8000MCUCRD	Victorian Tiled Insert (RD)*	LPG	Coals	7kW	1.4kW	P8102MCUC	Art Nouveau Insert	LPG	Coals	10kW	2kW
P8210MCUC	Victorian Tiled Front	Nat Gas	Coals	12kW	2.4kW	⊗ 8102MCUCRD	Art Nouveau Insert (RD)*	Nat Gas	Coals	7kW	1.4kW
P8210MCUC	Victorian Tiled Front	LPG	Coals	12kW	2.4kW	⊗ P8102MCUCRD	Art Nouveau Insert (RD)*	LPG	Coals	7kW	1.4kW
8004MCUC	Adelaide Insert	Nat Gas	Coals	10kW	2kW	8202MCUC	Art Nouveau Tiled Front	Nat Gas	Coals	12kW	2.4kW
P8004MCUC	Adelaide Insert	LPG	Coals	10kW	2kW	P8202MCUC	Art Nouveau Tiled Front	LPG	Coals	12kW	2.4kW
⊗ 8004MCUCRD	Adelaide Insert (RD)*	Nat Gas	Coals	7kW	1.4kW	8023MCUC	Knightsbridge/ Kensington Insert	Nat Gas	Coals	16kW	3.2kW
⊗ P8004MCUCRD	Adelaide Insert (RD)*	LPG	Coals	7kW	1.4kW	P8023MCUC	Knightsbridge/ Kensington Insert	LPG	Coals	16kW	3.2kW
8062MCUC	Combination Insert	Nat Gas	Coals	10kW	2kW	8023LUC	Knightsbridge/ Kensington Insert	Nat Gas	Logs	16kW	3.2kW
⊗ P8062MCUC	Combination Insert	LPG	Coals	10kW	2kW	P8023LUC	Knightsbridge/ Kensington Insert	LPG	Logs	16kW	3.2kW
⊗ 8062MCUCRD	Combination Insert (RD)*	Nat Gas	Coals	7kW	1.4kW						
P8062MCUCRD	Combination Insert (RD)*	LPG	Coals	7kW	1.4kW						
8064MCUC	Arched Insert	Nat Gas	Coals	10kW	2kW						
P8064MCUC	Arched Insert	LPG	Coals	10kW	2kW						

REMOTE CONTROL OPTION

Product Code	Description
8455	Standard remote control kit

*RD - Reduced Draught Fire. Reduced draught models do not require additional room ventilation.

Fire Baskets

Model	Gas Controls		Overall Dimensions W x H x D in mm			Fuel Options				Gas Heat Outputs (kW)					
	Front	Right side	Small	Medium	Large	Solid fuels	Gas coals	Gas logs	Gas driftwood	Small		Medium		Large	
										In	Out	In	Out	In	Out
Amhurst*†	✓	✓	395 x 330 x 275	520 x 330 x 280	–	✓	✓	✓	✓	12.0	2.4	15.0	3.0	–	–
Art Deco*†	✓	✓	395 x 305 x 280	520 x 305 x 280	–	✓	✓	✓	✓	12.0	2.4	15.0	3.0	–	–
Ascot*	–	✓	735 x 355 x 405	–	–	✓	✓	✓	✓	15.0	3.0	–	–	–	–
Cromwell	✓	–	395 x 150 x 250	–	490 x 150 x 275	✓	✓	✓	✓	12.0	2.4	–	–	15.0	3.0
Milan †	✓	✓	601 x 305 x 378	727 x 305 x 378	–	✓	✓	✓	✓	12.0	2.4	15.0	3.0	–	–
Rochester*	✓	✓	520 x 415 x 280	–	–	✓	✓	✓	✓	15.0	3.0	–	–	–	–
Spanish	✓	–	447 x 235 x 318	–	525 x 235 x 369	✓	✓	✓	✓	13.0	2.6	–	–	15.0	3.0

* Allow 150mm between basket and fireplace opening to reach right hand side controls.
† Please note the Small Amhurst, Small Art Deco and Small Milan can be supplied as reduced draft versions where the input is under 7kW. This means that no air vent will be required.

Important Information

Technical Specifications

All specifications given in this brochure are approximate. Actual specifications for each individual product will vary according to model. Your Gazco retailer will be pleased to provide any further information you require or you may view/download specification sheets from www.gazco.com

Installation and Safety

Gazco gas fires must be fitted by a qualified gas installer (GasSafe registered in the United Kingdom or RGII registered in the Republic of Ireland) who should also verify the proposed site conditions are fully suitable for the product selected. Complete installation instructions for many models can be obtained prior to purchase by viewing or downloading them from www.gazco.com

When designing your own installation, please also observe the minimum distance to combustible materials as stated in the installation instructions.

Please note that all parts of these fires, particularly the glass panel on certain models, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.

Colours/Flame pictures

Owing to variations in studio lighting & printing inks, the finishes/colours of fires illustrated in this brochure may differ slightly from actual models. Before purchasing, please ask your retailer to show you finish/colour samples. All flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on flue conditions and surrounding geographical features. Some of the photography in this brochure may not comply with the requirement of the latest building regulations given as these are subject to constant change. You should always check you proposed installation arrangement with a qualified gas installer before proceeding.

Care and maintenance

Traditional materials, such as polished steel and brass, tarnish on contact with air especially when also exposed to heat. To help minimise this effect, we recommend fires receive regular treatment with suitable proprietary cleaners. Additionally, please remember that gas fires will require servicing annually by a qualified gas installer (GasSafe registered in the United Kingdom or Bord Gáis registered in the Republic of Ireland).

Warranty and product improvement



Your Gazco Expert Retailer will provide you with a Two Year Warranty for your new gas fire. This can be further extended to a Five Year Warranty, provided you register your product with Gazco. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard Non-Extendable One Year Warranty. Please note these warranties are dependant on your appliance being serviced 12 months after installation and annually thereafter and excludes certain consumable parts. Full details of this warranty are available at www.gazco.com.

Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations & amendments. Exact product details should be discussed with your retailer at the time of purchase.

Air ventilation for gas fires

To comply with gas appliance installation regulations, all fire baskets and standard versions of the Classic Fireplace range require additional ventilation into your room. Please consult either your Gazco retailer or the Gazco Technical Information on our website www.gazco.com to confirm the ventilation required.

Above: Riva2 500 **Evoke Glass** with **Black Glass** front and Graphite rear with Vermiculite lining



Logic HE Conventional flue fire with Log-effect fuel bed and **Chartwell front** in Polished Chrome-effect and **Arts2 frame** in Polished Stainless Steel with Slide control. Also shown: Pembroke white wooden mantel.



Riva2 500 **Edge** with Black Reeded lining



Riva2 500 **Icon XS** with Vermiculite lining

Riva2 500 Fires

In addition to the fires in this brochure, Gazco also offers the Riva2 500. Thoughtfully designed to fit into standard 22" British fireplace openings, the Riva2 500 is a slightly larger gas fire with a wealth of styling options.

With its highly realistic log-effect fuel bed complemented by a wide choice of striking frames, mantels and lining options, this outstanding fire can be perfectly tailored to your home's décor. Ask your local retailer for more information or download the brochure from www.gazco.com.



Riva2 500 EchoFlame Black Glass Lining

Gazco's inspiring EchoFlame Black Glass lining immediately enhances the depth and magic of the fire, creating a dramatic, three sided reflection of the dancing flames. Coupled with the Riva2 500's hand painted log-bed and designer aesthetics, this stylish lining creates a visual centrepiece that leaves a lasting impression.



Riva2 500 **Evoke Glass** with EchoFlame Black Glass lining

Also available from Gazco

Gazco Electric Fires and Stoves

In addition to the wide selection of gas fires shown in this brochure, Gazco also offers an extensive range of highly realistic, stylish electric fires which are covered in separate dedicated brochures. Whether you want to achieve a modern contemporary look or a more classic, traditional interior, the Gazco Electric Fires and Stoves brochure has the perfect solution whatever your style or budget.




Gazco Riva2 and Eclipse Fires

Alongside the Inset Gas fire ranges, Gazco offer the stunning Riva2 and Eclipse gas fires. Featuring realistic logs, superb flames and a choice of lining and frame options, these versatile fires instantly create a focal point that can be tailored to suit your interior.



To view and download the complete range of Gazco brochures, simply scan this QR code, visit www.gazco.com or speak to your local Gazco retailer.



Featured:

Top: Logic2 Electric Box Profil with Highlight Polished fret & Brushed Steel effect frame.

Middle: Radiance Inset 135R Edge with Clear Crushed Glass fuel effect.

Bottom: Riva2 530 Designio2 Glass with EchoFlame Black Glass lining.



Riva2 750HL **Edge** with Black reeded lining.
Also shown: Claremont mantel in natural Limestone.



Logic HE Conventional flue fire with White Stone fuel bed, shown with **Arts front** in Polished Chrome-effect and **Arts2 frame** in Brushed Stainless Steel.

Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

www.amara.com; www.furniturevillage.co.uk; www.lauraashley.com; www.faginsantiques.com; www.theorangetree.co.uk; www.habitat.co.uk; www.houseoffraser.co.uk; www.ashorejewellery.co.uk; www.eclectique.co.uk; www.debenhams.com; www.next.co.uk; www.mokodirect.co.uk; www.marksandspencer.com; www.rockettstgeorge.co.uk; www.frenchconnection.com; www.wayfair.co.uk; www.urbanoutfitters.com/uk; www.tkmxx.com; www.homesense.com; www.johnlewis.com; www.coxandcox.co.uk; www.urbanara.co.uk; www.amoslighting.co.uk; www.stovax.com; www.farmington.co.uk; www.bnsp.co.uk; www.grandisson.com; www.rudloe-stone.com; www.beechbros.co.uk; www.originalstyle.com; www.heavitreeradio.co.uk; www.stbridgetnursery.co.uk; www.easyart.com; www.woofenden.com; www.amtico.com; www.opiesuk.co.uk; www.graceandgloryhome.co.uk; www.chunkymonkeyfurniture.co.uk

To view & download our complete range of brochures, simply scan this code or visit www.gazco.com



Gazco Limited

Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG

Tel: 01392 261999 Fax: 01392 444148

E-mail: info@gazco.com www.gazco.com

A member of the Stovax Group

Your Gazco stockist:

£3.00

